

Digitized by the Internet Archive in 2008 with funding from Microsoft Corporation









221

## ILLUSTRATIONS

OF

BRITISH FUNGI.





## ILLUSTRATIONS

OF

## BRITISH FUNGI

(HYMENOMYCETES),

To serve as an Atlas to the Handbook of "British Fungi."

ву

M. C. COOKE, M.A., LL.D., A.L.S.,

Late President of the Quekett Microscopical Club. President of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine, and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Scotland; the Woolhope Field Club; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists' Society; the Essex Field Club; and other Societies.

VOL. VI.

137426

London:

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1886-1888.

QK 607 C67 V.6







CORTINARIUS (DERMOCYBE) OCHROLEUCUS.

on the ground. Epping Forest.

Fries.










CORTINARIUS (DERMOCYBE) DIABOLICUS. Fries.
under beech trees. Dorking. Nov. 1880.









CORTINARIUS (DERMOCYBE) TABULARIS. Bull. in mixed woods. near Carlisle. 1886.









CORTINARIUS (DERMOCYBE) CAMURUS. Fries.
on ground in Epping Forest, Chingford. Nov. 1882.









CORTINARIUS (DERMOCYBE) CANINUS. Fries.
on the ground. Tunnel Woods, Watford. 1883.





CORTINARIUS (DERMOCYBE) MYRTILLINUS. Fries.
under beech trees. Christchurch, Hants.









CORTINARIUS (INOLOMA) AZUREUS Fries.

Amongst leaves. Alresford, Hants.










CORTINARIUS (DERMOCYBE) ALBO-CYANEUS. Fries, under trees. Pontrilas. Sept. 1885.









CORTINARIUS (DEFMOCYBE) ANOMALUS. Fries. on the ground in woods. Lyndhurst, Haywood Forest. &c.









CORTINARIUS (DERMOCYBE) LEPIDOPUS. Cooke.

un healthy places; Epping Forest, and near Carlisle. Sept. 1887.









cortinarius (DERMOCYBE) CINNABARINUS.

in beech woods. near Hereford.

Fries.





CORTINARIUS (DERMOCYBE) SANGUINEUS. Fries. on the ground in Epping Forest. Nov. 1882.





CORTINARIUS (DERMOCYBE) ORELLANUS. Fries. in woods. Coed Coch.






CORTINARIUS (DERMOCYBE) CINNAMOMEUS. Fries. on the ground in woods. Dinmore.





CORTINARIUS (DERMOCYBE) CINNAMOMEUS.
on the ground. near Carlisle.

Fries, variety. 1886.





CORTINARIUS (DERMOCYBE) CINNAMOMEUS. Fries.  $var.\beta$ . SEMI-SANGUINEUS. Fries. on the ground. Lyme Regis. Oct. 1883.





CORTINARIUS (DERMOCYBE) CROCEO-CONUS. Fries, in pine woods. Wycliffe wood.





cortinarius (DERMOCYBE) uliginosus. Berk. in boggy woods. King's Cliffe.





CORTINARIUS (DERMOCYBE) INFUCATUS.
on the ground in woods. Haywood Forest.

Fries. Sept. 1883.





CORTINARIUS (DERMOCYBE) COTONEUS. Fries under oaks, or in mexed woods.





CORTINARIUS (DERMOCYBE) SUBNOTATUS. Persamongst fir leaves. Alresford, Hants. Nov. 1886.





cortinarius (dermocybe) valgus Fries. (var.)
in woods near Bristol. Oct. 1886.





CORTINARIUS (DERMOCYBE) VENETUS. Fries.
under beech trees. Aboyne,





CORTINARIUS (TELAMONIA) MACROPUS. Fries. on the ground. near Bristol. 1884.





CORTINARIUS (TELAMONIA) LANIGER under trees. Sandy Lane. Bristol.

Fries. Sept. 1885.





CORTINARIUS (TELAMONIA) BIVELUS. Fries. in woods. Dinedor. Oct. 1881.





CORTINARIUS (TELAMONIA) BULBOSUS. Sow. in woods. Wyeliffe Wood. Oct. 1883.





CORTINARIUS (TELAMONIA) URBICUS. Fries. amongst grass. Cabalva. Oct. 1879.





CORTINARIUS (TELAMONIA) LICINIPES. Fries. var. ROBUSTIOR. in damp woods. Blaise Castle. Oct. 1884.





CORTINARIUS (TELAMONIA) MICROCYCLUS. Fries. under trees. Broxbourne. Oct. 1887.

" lat infermi pl 85.3 179 I'm been alleged to be the ene refrecie a that or 1. A suits Fr. de 1- 157 f 2 hat work Junear Nuite t 370. I have no very great confidence a the plate".



CORTINARIUS (TELAMONIA) TORVUS. Fries.
on the ground in woods. Wycliffe Wood, Oct. 1882.

See pl 7





CORTINARIUS (TELAMONIA) IMPENNIS. Fries. under fir trees. Dinedor. Oct. 1881.

[700] +





CORTINARIUS (IELAMONIA) QUADRICOLOR. Fries. under beech. Blaise Castle, Bristol. Oct. 1882.

1 " 1 17472 + LT





CORTINARIUS (TELAMONIA) EVERNIUS. Fries. (Type).
in damp places. Epping Forest, 1885.





CORTINARIUS (TELAMONIA) QUADRICOLOR, Fries. amongst grass, near Broxbourne. Oct. 1887.





CORTINARIUS (TELAMONIA) ARMILLATUS. Fries in mixed woods. Wycliffe Wood, Ludlow.






cortinarius (TELAMONIA) HÆMATOCHELIS. in woods. Coed Coch, Abergele.

Bull.





CORTINARIUS (TELAMONIA) HELVOLUS. Bull. in woods. Durdham Downs. Oct. 1883.





CORTINARIUS (TELAMONIA) HINNULEUS. Fries. on the ground, in woods. Dinedor. Oct. 1881.





CORTINARIUS (TELAMONIA) GENTILIS. Fries.
on the ground. Haywood Forest, and Rothiemurchas.





CORTINARIUS (TELAMONIA) HELVELLOIDES. Fries.

amongst beech leaves. Christchurch.





CORTINARIUS (TELAMONIA) BOVINUS. on ground, in woods. Haywood Forest.

Fries. Sept. 1883.





CORTINARIUS (TELAMONIA) NITROSUS. Cooke. on the ground. Durdham Down, Bristol.



odour musty. Mayall. ... Int M.C.E.

CORTINARIUS (TELAMONIA) INJUCUNDUS. Weinm. under trees. Swarraton, Hants. Nov. 1886.

Sal helpt

" for the is with Com. to were, who is represent me another plate I'm This is protectly Con



CORTINARIUS (TELAMONIA) BRUNNEUS. Fries.

under trees. Haywood Forest, 1882.

C. injucundos ) + large





cortinarius (TELAMONIA) BRUNNEUS. Fries. (Type).
on the ground. Epping Forest. Oct. 29, 1887.





CORTINARIUS (TELAMONIA) GLANDICOLOR. Fries.
amongst moss. Fordingbridge, 1883.





CORTINARIUS (TELAMONIA) PUNCTATUS. Fries. under beech. near Ascot, 1881.

1





CORTINARIUS (TELAMONIA) TRIFOPMIS var. SCHÆFFERI. on the ground. Alresfor l. Hants. Oct. 1885.






CORTINARIUS (TELAMONIA) BIFORMIS. Fries.
in mixed woods. Park End, Forest of Dean. Oct. 1887.





CORTINARIUS (TELAMONIA) PERISCELIS. Weinm.
in boggy places. Near Bristol, &c.





CORTINARIUS (TELAMONIA) FLABELLUS. Fries.
under beech. Coed Coch.





CORTINARIUS (TELAMONIA) ILEOPODIUS. Bull. in beech woods. near Bristol.





cortinarius (TELAMONIA) incisus. Fries. var. B on naked soil. Pleasure Grounds, Kew.





CORTINARIUS (TELAMONIA) HEMITRICHUS. Fries. amongst moss, &c. Belmont, Hereford, 1886.





CORTINARIUS (TELAMONIA) RIGIDUS. Fries. in damp woods. near Carlisle. 1886.





CORTINARIUS (TELAMONIA) PALEACEUS Fries. in moist woods. Haywood Forest. Oct. 1884.





CORTINARIUS (HYDROCYBE) FIRMUS. Fries. on the ground. near Bristol.





CORTINARIUS (HYDROCYBE) SUBFERRUGINEUS. Fries. on the ground in woods. Haywood Forest, Sept. 1883.





CORTINARIUS (HYDROCYBE) ARMENIACUS. Schaff. in fir woods. Mallishall. Aug. 1883.





CORTINARIUS (HYDROCYBE) DAMASCENUS. Fries.
under trees. Pontrilas. Sept. 1885.





 $\begin{array}{ccc} {\tt CORTINARIUS} \; ({\tt HYDROCYBE}) \; {\tt PRIVIGNUS}, & Fries. \\ under {\it fir trees}, & {\it Dinmore}, & 1885. \end{array}$ 





CORTINARIUS (HYDROCYBE) DURACINUS. Fries.

11 woods. Hereford Fungus Show, 1881.





CORTINARIUS (HYDROCYBE) ILLUMINUS. Fries. under firs. near Scarboro'.





CORTINARIUS (HYDROGYBE) TORTUOSUS Fries.
in damp pine wood. Scarbor aigh





CORTINARIUS (HYDROCYBE) DILUTUS. on the ground in Epping Forest, Chingford.

Fries. Nov. 1882.





CORTINARIUS (HYDROCYBE) SATURNINUS. Fries.
amongst grass. Dinmore. 1886.





cortinarius (HYDROCYBE) IMBUTUS. Fries. in mixed woods. Forres, N.B. Sept. 1887.





CORTINARIUS (HYDROCYBE) CASTANEUS. Fries.
under trees. Kew Gardens, and Hereford.





CORTINARIUS (HYDROCYBE) BICOLOR. Cooke.
in mixed woods. Park End, Forest of Dean. Oct. 1887.





CORTINARIUS (HYDROCYBE) BALAUSTINUS. Fries. under beech. Credinhill Camp. Oct. 1882.





CORTINARIUS (HYDROCYBE) COLUS, Fries. on the ground. Blaize Castle, and Whitfield.





CORTINARIUS (HYDROCYBE) ISABELLINUS. Fries.
in pine woods. Ascot.





CORTINARIUS (HYDROGYBE) RENIDENS. Fries. under trees. Highbeach, Epping. Sept. 1882.





CORTINARIUS (HYDROCYBE) URACEUS. Fries.
under fir trees. near Hereford.





CORTINARIUS (HYDROCYBE) JUBARINUS. Fries. amongst grass. Lyndhurst, Hants. Oct. 1883.





CORTINARIUS (HYDROCYBE) PATERIFORMIS. var. MAJOR. Fries.
amongst grass. Neasden, Middlesex. Sept. 1881





CORTINARIUS (HYDROCYBE) UNIMODUS. Britzelmeyer. in grassy places. Carlisle. Sept. 1887.





on the ground amongst firs. Dereham, Norfolk.

Fries. Nov. 1883.






CORTINARIUS (HYDROCYBE) RIGENS. Fries. under firs. Epping Forest. June, 1869.





CORTINARIUS (HYDROCYBE) KROMBHOLZII. Fries.
amongst moss. Scarboro', Yorks.





CORTINARIUS (HYDROCYBE) LEUCOPUS. Bull. under fir trees. near Kendal.





CORTINARIUS (HYDROCYBE) SCANDENS. Fr. Mon. (nec. Fr. Icon.)
on moist ground. near Downham, Nerfolk.





CORTINARIUS (HYDROCYBE) DECIPIENS. Fries. on the ground, in woods. Norfolk. 1882.





CORTINARIUS (HYDROCYBE) GERMANUS. Fries. under beech. Epping Forest, 1883.





CORTINARIUS (HYDROCYBE) ACUTUS. Fries. in moist woods. near Bristol, &c.





CORTINARIUS (HYDROCYBE) MILVINUS. Fries.
amongst leaves. Neasden, Oct. 1884.





CORTINARIUS (HYDROCYBE) DEPRESSUS. Fries.
in moist woods. Coed Coch, 1883.





CORTINARIUS (HYDROCYBE) FASCIATUS. Fries. under fir trees. Haywood Forest. Oct. 1883.





GOMPHIDIUS GLUTINOSUS. Fries under fir trees. Park End, Forest of Dean. Oct. 1887.





GOMPHIDIUS ROSEUS Fries. in woods. The Wrekin, Salop.





Gemphidius viscidus Fries. under fir trees.  $Credinhill\ Camp$ .  $Sept.\ 1882$ .





GOMPHIDIUS MACULATUS. Scop. (Tariety).

near fir trees. Dinedor Camp.





GOMPHIDIUS GRACILIS. Berk. under fir trees. near Scarborough.





PAXILLUS (LEPISTA) LEPISTA. Fries.
in fir woods. Scarborough.





PAXILLUS (LEPISTA) ORCELLOIDES.
amongst grass. Queen's Cottage, Kew.

C. & M. Nov. 1886.





PAXILLUS (LEPISTA) EXTENUATUS. Fries.

amongst grass. near Hereford. (Dr. Bull.)






PAXILLUS (LEPISTA) LIVIDUS. Cooke. in woods. Leigh Down. Oct. 1882.





PAXILLUS (LEPISTA) PARADOXUS. (Kalch.) Berk. on the ground. Scarborough.





PAXILLUS (TAPINIA) INVOLUTUS. Fries. on the ground. Kew Gardens. Oct. 1882.





PAXILLUS (TAPINIA) LEPTOPUS. Fries. on stumps. Queen's Cottage, Kew.






PAXILLUS (TAPINIA) ATRO-TOMENTOSUS. Fries.

Pine woods near Woburn Station. Sept. 1872.






PAXILLUS (TAPINIA) CRASSUS. on mound of rifle butts, Blackheath.

Fries. Nov. 1885.





PAXILLUS (TAPINIA) PANUOIDES. Fries. on sawdust. Coed Coch.





HYGROPHORUS (LIMACIUM) CHRYSODON.
under trees, Westridge Wood, near Nibley.

Fries.
Nov. 1880.








HYGROPHORUS (LIMACIUM) EBURNEUS. Fries.
in mixed woods. Epping Forest.





HYGROPHORUS (LIMACIUM) COSSUS. Fries. in mixed woods. Dinmore. Oct. 1887.





HYGROPHORUS (LIMACIUM) PENARIUS. Fries. in mixed woods. Morpeth, Oct. 1887.





HYGROPHORUS (LIMACIUM) ERUBESCENS in fir woods. near Hereford.







HYGROPHORUS (LIMAGIUM) PUDORINUS. Fries.
in woods. Crowell, Oxon, Oct. 1886.







HYGROPHORUS (LIMACIUM) GLUTINIFER in mixed woods. near Slough.

Rull.





HYGROPHORUS (LIMACIUM) AUREUS. Arrh. amongst grass. Kew Gardens. Nov. 1883.





HYGROPHORUS (LIMACIUM) DISCOIDEUS. Fries.
by roadsides in woods. New Forest.





in woods. Blaize Castle Woods, Nov. 1886.





HYGROPHORUS (LIMACIUM) OLIVACEO-ALBUS Fries.

near fir trees. Tunnel Wood, Watford. Oct. 1883.





HYGROPHORUS (LIMACIUM) HYPOTHEJUS
on grassy bank. near Dorking.





HYGROPHORUS (LIMACIUM) CERASINUS. Berk. amongst grass. Street, Somerset, 1868.





HYGROPHORUS (LIMACIUM) FUSCO-ALBUS. Lasch.
in mixed woods. Jedburgh.





HYGROPHORUS (LIMACIUM) AGATHOSMUS.

in woods. Carlisle, Oct. 1886.

Fries.






HYGROPHORUS (LIMACIUM) MESOTEPHRUS. B. & Br. in damp places. Lyndhurst, Hants.





HYGROPHORUS (LIMACIUM) LIVIDO-ALBUS. Fries. in grassy places. Queen's Cottage, Kew, Nov. 1886.





HYGROPHORUS (CAMAROPHYLLUS) CAPRINUS. Scop. under fir trees. near Bath.





HYGROPHORUS (CAMAROPHYLLUS) LEPORINUS. Fries. in woods. Forres, N.B.





HYGROPHORUS (CAMAROPHYLLUS) NEMOREUS. Fries (?).
in pastures. Bishops Stortford, Oct. 1867.





HYGROPHORUS (CAMAROPHYLLUS) PRATENSIS. Pers.
amongst grass. Pleasure Grounds, Kew.





HYGROPHORUS (CAMAROPHYLLUS) PRATENSIS var. CINEREUS. Fries.
in pastures. near Slough, 1882.





HYGROPHORUS (CAMAROPHYLLUS) VIRGINEUS.
in grassy places. Cuckoo Pits, Epping Forest.

Wulf. Oct. 1883.





HYGROPHORUS (CAMAROPHYLLUS) VIRGINEUS, var. ROSEIPES.
in fir woods, near Carlisle. Oct. 1887.





HYGROPHORUS (CAMAROPHYLLUS) RUSSO-CORIACEUS.

amongst grass. Ludlov, Coed Coch, &c.

B. & Br.





HYGROPHORUS (CAMAROPHYLLUS) VENTRICOSUS. B. & Br. amongst grass. Coed Coch, and Kenilworth.

101933 "Hygraflomo clivalio ple + not H. formicatios" 



HYGROPHORUS (CAMAROPHYLLUS) FORNICATUS. Fries amongst grass. Holm Lacey, Oct. 1872.





HYGROPHORUS (CAMAROPHYLLUS) DISTANS. B. & Br. in woods. Addington Plantations, Oct. 1870.





HYGROPHORUS (CAMAROPHYLLUS) OVINUS.
in pastures. near Bristol.

Bull.





HYGROPHORUS (CAMAROPHYLLUS) METAPODIUS. Fries. in open places and pastures. Somersetshire.





HYGROPHORUS SUBRADIATUS var. LACMUS.
on healthy ground. near Hereford.





HYGROPHORUS (CAMAROPHYLLUS) IRRIGATUS. Fries.

amongst grass, after much rain. Kew Gardens, Oct. 1882.





HYGROPHORUS (HYGROCYBE) FŒTENS, amongst grass, Shrewslury,

Phil.





HYGROPHORUS (HYGROCYBE) MUCRONELLUS.

in fields. near King's Lynn.

Fries.

"Hygi. lactio pl 938 4 H Houghlini pl 936 reem be the same species"



HYGROPHORUS (HYGROCYBE) LÆTUS. Fries.

amonyst grass. Epping Forest.





HYGROPHORUS (CAMAROPHYLLUS) HOUGHTONI. B. & Br. amongst grass. near Wellington, Salop.

H. latin:





HYGROPHORUS (HYGROCYBE) CERACEUS.
in grassy places. Coed Coch.

Fries.





HYGROPHORUS (HYDROCYBE) COCCINEUS. Schlphaff. in grassy places. (Queen's Cottage, Kew.






HYGROPHORUS (HYGROCYBE) MINIATUS. Fries. amongst grass. Kew Gardens, Nov. 1883.



HYGROPHORUS (HYGROCYBE) TURUNDUS. Fr. var. MOLLIS. Berk. in grassy places. Coed Coch.





HYGROPHORUS (HYCROCYBE) MICACEUS.
on clay soil. Coed Coch.

B. & Br.





HYGROPHORUS (HYGROCYBE) PUNICEUS. Fries.  $amongst\ moss,\ \mathcal{S}e. \qquad Bedfordshire.$ 





HYGROPHORUS (HYGROCYBE) OBRUSSEUS. Fries.
in grassy places. Oxford, Aug. 1886.





HYGROPHORUS (HYGROCYBE) INTERMEDIUS. Pass.
amongst grass, by readside, Langley, 1882.





HYGROPHORUS (HYGROCYBE) CONICUS. Fries. on lawns. Kew Gardens.





HYGROPHORUS (HYGROCYBE) CALYPTRÆFORMIS Queen's Cottage, Kew. amongst grass.

Berk.





HYGROPHORUS (HYGROCYBE) CALYPTRÆFORMIS var. NIVEUS.

amongst grass. Queen's Cottage Grounds, Kew.





HYGROPHORUS (HYGROCYBE) CHLOROPHANUS. Fries.

amongst grass. Pleasure Grounds, Kew, Oct. 1883.





HYGROPHORUS (HYGROCYBE) PSITTACINUS. Fr. on lawns and pastures. Chingford, 1886.






HYGROPHORUS (HYGROCYBE) UNGUINOSUS. in moist woods. near Hereford.

Fries.





HYGROPHORUS (HYGROCYBE) NITRATUS. P. amongst grass in woods. Durdham Down, Oct. 1882.







Billion

QK 607 C67 v.6 Cooke, Mordecai Cubitt Illustrations of ∂ritish Fungi

Biolied

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY

